

JLPT December 2024 (Morning Session)						
Distribution of Classrooms for N5						
Room #	Location	Level	Category	Examinees Number	Reg No	Booth No.
1111	Annex - 1	Level - 1	Class Room	Test Control Room 01 (Annex 1 & 2)**		
1101	Annex - 1	Level - 1	Class Room	30	50001-50030	1
1102	Annex - 1	Level - 1	Class Room	30	50031-50060	
1103	Annex - 1	Level - 1	Class Room	30	50061-50090	
1104	Annex - 1	Level - 1	Class Room	30	50091-50120	
1105	Annex - 1	Level - 1	Class Room	30	50121-50150	
1106	Annex - 1	Level - 1	Class Room	30	50151-50180	2
1107	Annex - 1	Level - 1	Class Room	30	50181-50210	
1108	Annex - 1	Level - 1	Class Room	30	50211-50240	
1109	Annex - 1	Level - 1	Class Room	30	50241-50270	
1110	Annex - 1	Level - 1	Class Room	30	50271-50300	
1112	Annex - 1	Level - 1	Class Room	30	50301-50330	3
1113	Annex - 1	Level - 1	Class Room	30	50331-50360	
1114	Annex - 1	Level - 1	Class Room	30	50361-50390	
1115	Annex - 1	Level - 1	Class Room	30	50391-50420	
1116	Annex - 1	Level - 1	Class Room	30	50421-50450	
1117	Annex - 1	Level - 1	Class Room	30	50451-50480	4
1118	Annex - 1	Level - 1	Class Room	30	50481-50510	
1119	Annex - 1	Level - 1	Class Room	30	50511-50540	
1120	Annex - 1	Level - 1	Class Room	30	50541-50570	
1121	Annex - 1	Level - 1	Class Room	30	50571-50600	
2101	Annex - 2	Level - 1	Class Room	30	50601-50630	5
2102	Annex - 2	Level - 1	Class Room	65	50631-50695	
2103	Annex - 2	Level - 1	Class Room	30	50696-50725	
2104	Annex - 2	Level - 1	Class Room	30	50726-50755	
2105	Annex - 2	Level - 1	Class Room	65	50756-50820	
2106	Annex - 2	Level - 1	Class Room	30	50821-50850	6
2107	Annex - 2	Level - 1	Class Room	30	50851-50880	
2108	Annex - 2	Level - 1	Class Room	30	50881-50910	
2109	Annex - 2	Level - 1	Class Room	30	50911-50940	7
2110	Annex - 2	Level - 1	Class Room	30	50941-50970	
2111	Annex - 2	Level - 1	Class Room	30	50971-51000	
2112	Annex - 2	Level - 1	Class Room	30	51001-51030	
2113	Annex - 2	Level - 1	Class Room	30	51031-51060	
2115	Annex - 2	Level - 1	Class Room	30	51061-51090	8
2116	Annex - 2	Level - 1	Class Room	30	51091-51120	
2117	Annex - 2	Level - 1	Class Room	30	51121-51150	
2118	Annex - 2	Level - 1	Class Room	30	51151-51180	
2210	Annex - 2	Level - 2	Class Room	30	51181-51210	
2212	Annex - 2	Level - 2	Class Room	30	51211-51240	9
Media-Studio	Annex-2	Level - 2		85	51241-51325	
3101	Annex - 3	Level - 1	Class Room	Test Control Room 02 (Annex 3 & 7)		
3102	Annex - 3	Level - 1	Class Room	30	51326-51355	10
3103	Annex - 3	Level - 1	Class Room	30	51356-51385	
3104	Annex - 3	Level - 1	Class Room	30	51386-51415	
3105	Annex - 3	Level - 1	Class Room	30	51416-51445	
3106	Annex - 3	Level - 1	Class Room	30	51446-51475	
3107	Annex - 3	Level - 1	Class Room	30	51476-51505	
3108	Annex - 3	Level - 1	Class Room	30	51506-51535	

3109	Annex - 3	Level - 1	Class Room	30	51536-51565	11
3110	Annex - 3	Level - 1	Class Room	30	51566-51595	
3111	Annex - 3	Level - 1	Class Room	30	51596-51625	
3112	Annex - 3	Level - 1	Class Room	30	51626-51655	12
3113	Annex - 3	Level - 1	Class Room	30	51656-51685	
3114	Annex - 3	Level - 1	Class Room	30	51686-51715	
3115	Annex - 3	Level - 1	Class Room	30	51716-51745	
3116	Annex - 3	Level - 1	Class Room	30	51746-51775	
3117	Annex - 3	Level - 1	Class Room	30	51776-51805	13
3118	Annex - 3	Level - 1	Class Room	30	51806-51835	
3119	Annex - 3	Level - 1	Class Room	30	51836-51865	
3120	Annex - 3	Level - 1	Class Room	30	51866-51895	
3201	Annex - 3	Level - 2	Class Room	65	51896-51960	14
3202	Annex - 3	Level - 2	Class Room	65	51961-52025	
3203	Annex - 3	Level - 2	Class Room	65	52026-52090	
3204	Annex - 3	Level - 2	Class Room	65	52091-52155	
3205	Annex - 3	Level - 2	Class Room	65	52156-52220	15
3206	Annex - 3	Level - 2	Class Room	65	52221-52285	
3207	Annex - 3	Level - 2	Class Room	65	52286-52350	16
3208	Annex - 3	Level - 2	Class Room	65	52351-52415	
3209	Annex - 3	Level - 2	Class Room	65	52416-52480	
3210	Annex - 3	Level - 2	Class Room	65	52481-52545	
MPH-2 (L)	Annex-7	Level - 5		75	52546-52620	17
MPH-2 (R)	Annex-7	Level - 5		75	52621-52695	
5101	Annex - 5	Level - 1	Class Room	Test Control Room 03 (Annex 5 & 6)		
5102	Annex - 5	Level - 1	Class Room	30	52696-52725	18
5103	Annex - 5	Level - 1	Class Room	30	52726-52755	
5104	Annex - 5	Level - 1	Class Room	30	52756-52785	
5105	Annex - 5	Level - 1	Class Room	30	52786-52815	
5106	Annex - 5	Level - 1	Class Room	30	52816-52845	
5107	Annex - 5	Level - 1	Class Room	30	52846-52875	19
5108	Annex - 5	Level - 1	Class Room	30	52876-52905	
5109	Annex - 5	Level - 1	Class Room	30	52906-52935	
5110	Annex - 5	Level - 1	Class Room	30	52936-52965	
5111	Annex - 5	Level - 1	Class Room	30	52966-52995	20
5112	Annex - 5	Level - 1	Class Room	30	52996-53025	
5113	Annex - 5	Level - 1	Class Room	30	53026-53055	
5114	Annex - 5	Level - 1	Class Room	30	53056-53085	
5115	Annex - 5	Level - 1	Class Room	30	53086-53115	
5116	Annex - 5	Level - 1	Class Room	30	53116-53145	21
6103	Annex -6	Level - 1	Class Room	65	53146-53210	
6105	Annex -6	Level - 1	Class Room	65	53211-53275	
6107	Annex -6	Level - 1	Class Room	30	53276-53305	22
6109	Annex -6	Level - 1	Class Room	30	53306-53335	
6110	Annex -6	Level - 1	Class Room	30	53336-53365	
6111	Annex -6	Level - 1	Class Room	30	53366-53395	
6112	Annex -6	Level - 1	Class Room	30	53396-53425	
6113	Annex -6	Level - 1	Class Room	30	53426-53455	
6114	Annex -6	Level - 1	Class Room	30	53456-53485	23
6116	Annex -6	Level - 1	Class Room	30	53486-53515	
6201	Annex -6	Level - 2	Class Room	30	53516-53545	
6202	Annex -6	Level - 2	Class Room	65	53546-53610	24
6204	Annex -6	Level - 2	Class Room	65	53611-53675	
6203	Annex -6	Level - 2	Class Room	30	53676-53705	

6205	Annex -6	Level - 2	Class Room	30	53706-53735	25
6207	Annex -6	Level - 2	Class Room	30	53736-53765	
6209	Annex -6	Level - 2	Class Room	30	53766-53795	
6210	Annex -6	Level - 2	Class Room	30	53796-53825	
6211	Annex -6	Level - 2	Class Room	30	53826-53855	
6212	Annex -6	Level - 2	Class Room	30	53856-53885	
DN0408	Building - D	Level - 4		Test Control Room 04 (Levels 2-5)**		
DS0202	Building - D	Level -2	Lab	40	53886-53925	26
DS0203	Building - D	Level -2	Lab	40	53926-53965	
DS0204	Building - D	Level -2	Lab	40	53966-54005	
DS0205	Building - D	Level -2	Lab	40	54006-54045	
DS0206	Building - D	Level -2	Lab	40	54046-54085	27
DS0207	Building - D	Level -2	Lab	40	54086-54125	
DS0208	Building - D	Level -2	Lab	40	54126-54165	
DN0209	Building - D	Level -2	Lab	40	54166-54205	
DN0210	Building - D	Level -2	Lab	40	54206-54245	28
DN0211	Building - D	Level -2	Lab	40	54246-54285	
DN0212	Building - D	Level -2	Lab	40	54286-54325	
DS0104	Building - D	Level -1	Lab	40	54326-54365	
DS0105	Building - D	Level -1	Lab	40	54366-54405	
DS0106	Building - D	Level -1	Lab	40	54406-54445	
DS0107	Building - D	Level -1	Lab	40	54446-54485	
DS0402	Building - D	Level - 4	Class Room	65	54486-54550	30
DS0404	Building - D	Level - 4	Class Room	65	54551-54615	
DS0405	Building - D	Level - 4	Class Room	65	54616-54680	
DN0411	Building - D	Level - 4	Class Room	65	54681-54745	
DN0412	Building - D	Level - 4	Class Room	65	54746-54810	31
DS0502	Building - D	Level - 5	Class Room	65	54811-54875	
DS0503	Building - D	Level - 5	Class Room	65	54876-54940	
DS0504	Building - D	Level - 5	Class Room	65	54941-55005	
DS0505	Building - D	Level - 5	Class Room	65	55006-55070	32
DS0506	Building - D	Level - 5	Class Room	65	55071-55135	
DS0507	Building - D	Level - 5	Class Room	65	55136-55200	
DS0508	Building - D	Level - 5	Class Room	65	55201-55265	
DN0509	Building - D	Level - 5	Class Room	65	55266-55330	33
DN0510	Building - D	Level - 5	Class Room	65	55331-55395	
DN0511	Building - D	Level - 5	Class Room	65	55396-55460	
DN0512	Building - D	Level - 5	Class Room	65	55461-55525	
DN0409	Building - D	Level - 4		Test Control Room 05 (Levels 6 & 7)**		
DS0602	Building - D	Level - 6	Class Room	65	55526-55590	35
DS0603	Building - D	Level - 6	Class Room	65	55591-55655	
DS0604	Building - D	Level - 6	Class Room	65	55656-55720	
DS0605	Building - D	Level - 6	Class Room	65	55721-55785	
DS0606	Building - D	Level - 6	Class Room	65	55786-55850	36
DS0607	Building - D	Level - 6	Class Room	65	55851-55915	
DS0608	Building - D	Level - 6	Class Room	65	55916-55980	
DN0609	Building - D	Level - 6	Class Room	65	55981-56045	
DN0610	Building - D	Level - 6	Class Room	65	56046-56110	37
DN0611	Building - D	Level - 6	Class Room	65	56111-56175	
DN0612	Building - D	Level - 6	Class Room	65	56176-56240	
DS0702	Building - D	Level - 7	Class Room	55	56241-56295	
DS0703	Building - D	Level - 7	Class Room	55	56296-56350	38
DS0704	Building - D	Level - 7	Class Room	55	56351-56405	
DS0705	Building - D	Level - 7	Class Room	55	56406-56460	
DS0705	Building - D	Level - 7	Class Room	55	56406-56460	

DS0706	Building - D	Level - 7	Class Room	55	56461-56515	40
DS0707	Building - D	Level - 7	Class Room	55	56516-56570	
DS0708	Building - D	Level - 7	Class Room	55	56571-56625	
DN0709	Building - D	Level - 7	Class Room	55	56626-56680	41
DN0710	Building - D	Level - 7	Class Room	55	56681-56735	
DN0711	Building - D	Level - 7	Class Room	55	56736-56790	
DN0712	Building - D	Level - 7	Class Room	55	56791-56845	
D10 Meeting Room	Building - D	Level -10	Test Control Room 06 (Levels 8–10)**			
DS0802	Building - D	Level - 8	Class Room	55	56846-56900	42
DS0803	Building - D	Level - 8	Class Room	55	56901-56955	
DS0804	Building - D	Level - 8	Class Room	55	56956-57010	
DS0805	Building - D	Level - 8	Class Room	55	57011-57065	43
DS0806	Building - D	Level - 8	Class Room	55	57066-57120	
DS0807	Building - D	Level - 8	Class Room	55	57121-57175	
DS0808	Building - D	Level - 8	Class Room	55	57176-57230	44
DN0809	Building - D	Level - 8	Class Room	55	57231-57285	
DN0810	Building - D	Level - 8	Class Room	55	57286-57340	
DN0811	Building - D	Level - 8	Class Room	55	57341-57395	45
DN0812	Building - D	Level - 8	Class Room	55	57396-57450	
DS0902	Building - D	Level - 9	Class Room	55	57451-57505	
DS0903	Building - D	Level - 9	Class Room	55	57506-57560	46
DS0904	Building - D	Level - 9	Class Room	55	57561-57615	
DS0905	Building - D	Level - 9	Class Room	55	57616-57670	
DS0906	Building - D	Level - 9	Class Room	55	57671-57725	47
DS0907	Building - D	Level - 9	Class Room	55	57726-57780	
DS0908	Building - D	Level - 9	Class Room	55	57781-57835	
DN0911	Building - D	Level - 9	Class Room	55	57836-57890	
DN0912	Building - D	Level - 9	Class Room	50	57891-57940	48
MPH-1 (L)	Building - D	Level - 10		62	57941-58002	
MPH-1 (R)	Building - D	Level - 10		63	58003-58065	
<i>Venue: America International University-Bangladesh (AIUB), Kuril, Kuratoli, Dhaka</i>						
	Exam start 9.30 am					

